# Material Safety Data Sheet

Air

### Section 1. Chemical product and company identification

Product name

Supplier

AIRGAS INC., on behalf of its subsidiaries

259 North Rednor-Chester Road

Suite 100

Radnor, PA 19087-5283

1-610-687-5253

Product use

: Synthetic/Analytical chemistry.

Synonym

Compressed Air; Breething Quality Air; synthetic air, reconstituted air, medical air,

medical air USP.

MSDS #

001002 : 3/4/2009.

Date of Preparation/Revision

in case of emergency

: 1-866-734-3438

### Section 2. Hazards identification

Physical state

: Gas.

**Emergency overview** 

: WARNING!

CONTENTS UNDER PRESSURE.

Do not puncture or incinerate container. Contact with rapidly expanding gases can cause frostbite.

les of entry

Potential acute houlth effocts

Eyes Skin

: Contact with rapidly expanding gas may cause burns or frostbite. : Contact with rapidly expanding gas may cause burns or frostbite.

Inhalation

: Acts as a simple asphyxiant.

Ingestion

; Ingustion is not a normal route of exposure for gases

Potential chronic health

effects

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available.

Medical conditions aggravated by over-

: Acute or chronic respiratory conditions may be aggravated by overexposure to this gas.

exposuro

See toxicological information (section 11)

### Section 3. Composition, Information on Ingredients

Name CAS number % Volume Nitrogen 7727-37-9 76.5 - 80.5 Oxygen

19.5 - 23.5 7782-44-7

Exposure limits Oxygen Depletion [Asphyxlant]

### Section 4. First aid measures

No action shall be taken involving any personal risk or without suitable training. If it is suspected that furnes are still present, the rescuer should weer an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person ting aid to give mouth-to-mouth resuscitation.

Ey-contact

: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at loast 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention inmodiately.

Skin contact

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing conteminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before rouse. Get medical attention immediately.

13 1 1 1 1 1 1 1

Page: 1/5

Air

Frostblte lation

- Try to warm up the frozen tissues and seek medical attention.
- : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel, Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention

Immediately.

Ingestion

: As this product is a gas, refer to the inhalation section.

# Section 5. Fire-fighting measures

Flammability of the product

: Non-flammable,

Products of combustion

: Decomposition products may include the following materials:

nitrogen oxides

Fire-fighting media and Instructions

: Use an extinguishing agent suitable for the surrounding fire.

Apply water from a safe distance to cool container and protect surrounding area. If involved in fire, shut off flow immediately if it can be done without risk.

Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-ploce operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions

: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (section 6). Shut off gas supply if this can be done safely. isolate area until gas has dispersed.

nmental procautions

: Avoid dispersel of spilled material and runoff and contact with soil, waterways, drains

Methods for cleaning up

: Immediately contact emergency personnel. Stop leak if without risk. Note: see section 1 for emergency contact information and section 13 for waste disposal.

## Section 7. Handling and storage

Handling

: High pressure gas. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder

Storage

: Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C

# Section 8. Exposure controls/personal protection

Engineering controls

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any

Personal protection

Eyes

: Safety eyowear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling

Resouratory

: No special protection is required.

Hands

The applicable standards are (US) 29 CFR 1910,134 and (Canada) Z94,4-93

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is

Personal protection in case of a large spill

: Self-contained breathing apparatus (SCBA) should be used to avoid inhalation of the

Air Product name gen Oxygen Depletion [Asphyxlant] oxygen Consult local authorities for acceptable exposure limits. Section 9. Physical and chemical properties Bolling/condonsation point : -194.3°C (-317.7°F)

Melting/freezing point

: -216.2°C (-357.2°F)

Critical temperature

: Lowest known value: -146.9°C (-232.4°F) (nitrogen).

Vapor density

: Highest known value: 1.105 (Air = 1) (oxygen). Weighted average: 1 (Air = 1)

Gas Donalty (Ib/ft 3)

: 0.0749

# Section 10. Stability and reactivity

Stability and reactivity

: The product is stable.

Incompatibility with various

: Not considered to be reactive according to our database.

substancas

Hazardous decomposition

: Under normal conditions of storage and use, hazardous decomposition products should

products

not be produced.

Hazardous polymerization

: Under normal conditions of storage and use, hazardous polymerization will not occur.

# Section 11. Toxicological information

#### **Toxicity** data

Other toxic effects on

BIK

: No specific information is available in our database regarding the other toxic effects of this meterial to humans.

Specific offects

Carcinogenic effects

Mutagenic offects

: No known significant effects or critical hazards. : No known significant effects or critical hazards.

Reproduction toxicity

: No known significant effects or critical hazards.

## Section 12. Ecological information

#### Aquatic acotoxicity

Not available.

Products of degradation

: Products of degradation: nitrogen oxides (NO, NO<sub>2</sub> etc.).

Environmental fate

: Not available.

Environmental hazards

: No known significant effects or critical hazards.

Toxicity to the environment : Not available.

### Section 13. Disposal considerations

Product removed from the cylinder must be disposed of in accordance with appropriate Federal, State, local regulation.Return cylinders with residual product to Airgas, Inc.Do not dispose of locally.

### Section 14. Transport Information

Regulatory Information	UN number	Propor shipping name	Closs	Packing group	Labol	Additional
DOT Classification	UN1002	Air, compressed	2.2	Not applicable (gas).		-

Trg Classification	UN1002	Air, compressed	2.2	Not applicable (gas).	•	Explosive Limit and Limited Quantity Index 0.125  Passenger Carrying Road or Rail Index 75
lexico lassification	UN1002	Air, compressed	2.2	Not applicable (gas).	A	

Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

### Section 15. Regulatory Information

#### **United States**

U.S. Federal regulations

: United States Inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 omergency planning and notification; No products were found.

SARA 302/304/311/312 hazardous chemicals: nitrogen; oxygen

SARA 311/312 MSDS distribution - chemical inventory - hazard identification:

nitrogen: Sudden release of pressure; oxygen: Fire hezard, Sudden release of pressure, Delayed (chronic) health hazard

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act (CAA) 112 regulated flammable substances: No products were found,

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

State regulations

: Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed. Florida substances: None of the components are listed.

illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components are listed.

Louisiana Reporting: None of the components are listed.

Louisiana Spill: None of the components are listed.

Messachusotta Spill: None of the components are listed.

Massachusetta Substances: The following components are listed: NITROGEN;

OXYGEN (LIQUID)

Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed.

New Jersey Hazardous Substances: The following components are listed: NITROGEN

(COMPRESSED OR LIQUIFIED): OXYGEN

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed.

New York Acutely Hazardous Substances: None of the components are listed.

New York Toxic Chemical Rolesse Reporting: None of the components are listed.

Pennsylvania RTK Hazardous Substances: The following components are listed: NITROGEN; OXYGEN

Rhode Island Hazardous Substances: None of the components are listed.

#### Canada WHMIS (Canada)

: Class A: Compressed gas.

AIr

CEPA Toxic substances: None of the components are listed.

Canadian ARET: None of the components are listed.

Canadian NPRI: None of the components are listed.

Alberta Designated Substances: None of the components are listed.

Ontario Designated Substances: None of the components are listed.

Quebec Designated Substances: None of the components are listed.

# Section 16. Other information

United States

Label requirements

: CONTENTS UNDER PRESSURE.

Canada

Label requirements

: Class A: Compressed gas.

Hazardous Muterial Information System (U.S.A.)



National Fire Protection Association (U.S.A.)





#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its absidiaries, assumes any liability whatsoever for the accuracy or completeness of the Final determinant or the second of the second of

Final determination of sultability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although cortain hazards are described herein, we cannot